




DOUBLE EXTENDABLES



BUILT SMARTER, TO OPEN LONGER




Southern Cross Double Extendable Trailers are proudly Australian designed & custom built with a comprehensive range available up to and beyond 40m in length with numerous options to suit individual requirements.



Construction


- High-tensile steel is used extensively throughout the structure to provide maximum strength.
- The entire frame is sand-blasted and prime coated prior to a superior long lasting finish in your companies fleet colours.
- The comprehensive range of suspensions, axles, landing legs, components and fittings are selected for their proven reliability.



Discuss your requirements with our sales staff today. They will help you gain the best value from your new Southern Cross equipment.

DOUBLE EXTENDABLES





Dimensions

Length	Numerous Length Variations & Options Available <ul style="list-style-type: none"> • 13.73m (45') to 28.65m (94') • 14.63m (48') to 30.0m (98') • 17.09m (56') to 40.0m (131') Optional : 3.0m (10') Rear Pull-Out <i>Custom Lengths Available Upon Request</i>
Width	2500 mm

Construction

Chassis	Custom Fabricated Dual Mainrails Double Extendable.
Floor	3mm steel chequer plate c/w multiple RHS floor runners.
Coaming	5" RSJ side coamings.
Twist Locks	Available as an Option as required.
Load Racks	Standard : Tubular steel fitted front & rear Optional : RHS "Steel Carrier" front & rear load racks Optional : RHS 3 piece removable rear load racks
Winches	Available as an Option as required
Tool Box	Two (2) 1200mm Toolboxes fitted as standard.
Water Tank	60L plastic as standard
Side Steps	Optional : Swing Out Side Safety Steps
Rear Steps	Optional : Pull Out Rear Safety Steps
Road Train	Available as an Option - <i>Subject to Trailer Model</i>

Running Gear

Suspension	TMC Cast Spring Suspension - Subject to Trailer Model Optional : Euro-II Air, BPW, SAF airbag suspension
Steerable	Remote Controlled Hydraulic Steerable Suspension System available on all models. Compulsory on longer trailers.
Axles	Axle Selection Subject to Trailer & Suspension Model
Brakes	ADR brake kit – Drum brakes standard, Optional : Disc brakes and ABS / EBS as required.
Wheels/Tyres	Full range available to suit axle selection
Landing Legs	TMC landing legs c/w compensating feet standard
Tyre Carrier	Dual Strap Type c/w safety chains standard

Electrical

Lights	LED MultiVolt throughout c/w dual 7 pin & 40amp plugs
--------	--

Paintwork

Coaming, Hubs & Toolboxes	Painted in high quality glasurit 2 pack paint to clients specified colour - non metallic.
Underside	Standard : Hammertone Silver Optional : 2 pack

Warranty

12 months

SCTEG reserves the right to change specification information without notice, and accepts no liability, either direct or indirect for any loss that may result from the application of this information. Photographs may show equipment that is available at extra cost.